



#### Sales Branches (Shenzhen Office)

Tel:+86-0755-23307459
E-mail:sales@cengocar.com
Website: www.cengocar.com

**address:**Room 202,3#Yuheng Block, XinggangTongchuanghui park,Bao'an Avenue,BaoanDistrict, Shenzhen

#### **Manufacturing Bases**

Sichuan Factory
Gangtong North 4th Road,
modern industrial port, Pidu
District, Chengdu City, Sichuan

Yangzhou Factory Yangzhou Taizhou International Airport Industrial Park, Yangzhou City, Jiangsu NUOLE ELECTRIC VEHICLE CO.,LTD.

QUALITY. SERVICE. INNOVATION



### STANDARD COLORS

AVAILABLE IN8 PAINT COLORS AND CUSTOMIZABLE.



PEARL WHITE



TUXEDO BLACK



LIGHT IVORY



ALPINE GREEN



**BLUE ONYX** 



SCREAMING YELLOW



**BRIGHT ORANGE** 



CANDY PINK



METALLIC PURPLE



# P SERIES GOLF CART Application: golf courses, hotels and resorts, schools, real estate and communities, airports, villas, railway stations and commercial establishments, etc.

#### **FUNCTIONAL ADVANTAGE**

- High strength carbon steel integral frame to keep great stability and safety
- Double-Arm independent suspension + suspension spring, Integral rear axle, single leaf spring + cylinder hydraulic shock absorber
- Double-Circuit four-wheel hydraulic front disc rear drum brake and Electromagnetic parking to keep smoothly
- Intelligent charging system to extend battery life effectively









#### **CUSTOMIZATION**

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.



#### 2 Passenger Golf Cart

Max. Mileage:80-100km

Model No.: NL-P2020 Dimension: 2350\*1200\*1750mm Motor Power:AC motor,48V5kW Max. Speed:25km/h



#### 6 Passenger Golf Cart

Max. Mileage:70-90km

Model No.: NL-P2020+2 Dimension: 3680\*1200\*1850mm Motor Power:AC motor,48V5kW Max. Speed:25km/h



#### 4 Passenger Golf Cart

Model No.: NL-P2020+2 Dimension: 2930\*1200\*1750mm Motor Power:AC motor,48V5kW Max. Speed:25km/h Max. Mileage:80-100km



#### 6 Passenger Golf Cart

Model No.: NL-P2060 Dimension: 3850\*1200\*1850mm Motor Power: AC motor, 48V5kW Max. Speed:20km/h Max. Mileage:70-90km



#### 4 Passenger Golf Cart

Model No.: NL-P2040 Dimension: 3100\*1200\*1800mm Motor Power: AC motor, 48V5kW Max. Speed:25km/h Max. Mileage:80-100km





#### 8 Passenger Golf Cart

Model No.: NL-P2060+2 Dimension: 4430\*1200\*1850mm Motor Power: AC motor, 48V5kW Max. Speed:20km/h Max. Mileage:60-80km



#### **FUNCTIONAL ADVANTAGE**

- High strength carbon steel integral frame
- Front:Macpherson independent suspension
- Rear:Leaf spring and hydraulic shock absorber
- Rear wheel drum brake+Electric parking
- Intelligent charger, automatic power off, overload protection









#### **CUSTOMIZATION**

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.



#### 2 Seaters ferry car

Model: NL-G2020B Dimension: 2500×1220×1850mm Motor Power: AC motor,48V4kW

Speed: ≤22km/h

Driving Mileage: 60km (Flat/No load)



#### 4 Seaters ferry car

Model: NL-G2020+2B Dimension: 2800×1220×1850mm Motor Power: AC motor,48V4kW

Speed: ≤22km/h

Driving Mileage: 60km (Flat/No load)



#### 4 Seaters ferry car

Model: NL-G2040B Dimension: 3400×1220×1850mm Motor Power: AC motor,48V5kW

Speed: ≤22km/h

Driving Mileage: 60km (Flat/No load)



#### 6 Seaters ferry car

Model: NL-G2040+2B Dimension: 3800×1220×1850mm Motor Power: AC motor,48V5kW

Speed: ≤22km/h

Driving Mileage: 60km (Flat/No load)



#### 6Seaters ferry car

Model: NL-G2060B Dimension: 4400×1220×1850mm Motor Power: AC motor,48V5kW

Speed: ≤22km/h

Driving Mileage: 60km (Flat/No load)



#### 11 Seaters ferry car

Model: NL-G2060+2B Dimension: 4800×1220×1850mm Motor Power: AC motor,48V5kW Speed: ≤22km/h

Speed. 322kiii/

Driving Mileage: 60km (Flat/No load)



# LIFTED GOLF CARTS

Application: golf courses, hotels and resorts, schools, real estate and communities, airports, villas, railway stations and commercial establishments, etc.

#### **FUNCTIONAL ADVANTAGE**

- Injection molding of PP material for automobiles
- Front:Double wishbone independent suspension + suspension spring





- Rear:Leaf spring and hydraulic shock absorber
- Dual-circuit four-wheel hydraulic front disc and rear drum brakes
- Intelligent charger, automatic power off, overload protection





#### **CUSTOMIZATION**

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.



#### 2 Seaters ferry car

Model: NL-P2020H Dimension: 2350\*1200\*1750mm Motor Power: AC motor,48V5kW Max. Speed:25km/h Max. Mileage:70-90km



#### 4 Seaters ferry car

Model: NL-P2020H+2 Dimension: 3100\*1350\*2100mm Motor Power: AC motor,48V5kW Max. Speed:25km/h Max. Mileage:60-80km



#### 4 Seaters ferry car

Model: NL-P2040H

Dimension: 2930\*1350\*1950mm Motor Power: AC motor,48V5kW Max. Speed:25km/h

Max. Mileage:60-80km



#### 6 Seaters ferry car

Model: NL-P2040H+2 Dimension: 3680\*1350\*2100mm Motor Power: AC motor,48V5kW Max. Speed:25km/h Max. Mileage:60-80km

### LIFTED GOLF CARTS

Application: golf courses, hotels and resorts, schools, real estate and communities, airports, villas, railway stations and commercial establishments, etc.



#### **FUNCTIONAL ADVANTAGE**

- Injection molding of PP material for automobiles
- Front:Double wishbone independent suspension + suspension spring





- Rear:Leaf spring and hydraulic shock absorber
- Dual-circuit four-wheel hydraulic front disc and rear drum brakes
- Intelligent charger, automatic power off, overload protection





#### **CUSTOMIZATION**

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.











PEARL WHITE

LIGHT IVORY

SCREAMING YELLOW

GRASS GREEN

**BLUE ONYX** 



#### 4 Seaters ferry car

Model: NL-P2020H+2(New)

Dimension: 3100\*1350\*2100mm

Motor Power: AC motor,48V5kW

Max. Speed:25km/h Max. Mileage:60-80km



## LIFTED GOLF CARTS

Application: golf courses, hotels and resorts, schools, real estate and communities, airports, villas, railway stations and commercial establishments, etc.

#### **FUNCTIONAL ADVANTAGE**

- Injection molding of PP material for automobiles
- Front:Double wishbone independent suspension + suspension spring
- DRIVE FARTHER



- Rear:Leaf spring and hydraulic shock absorber
- Dual-circuit four-wheel hydraulic front disc and rear drum brakes
- Intelligent charger, automatic power off, overload protection





#### **CUSTOMIZATION**

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.



#### 4 Seaters ferry car

Model No.: NL-P2020+2(新)

Dimension: 2350\*1200\*1750mmmm Motor Power:AC motor,48V5kW

Max. Speed:25km/h

Max. Mileage:80-100km





### LIFTED GOLF CARTS

Application: golf courses, hotels and resorts, schools, real estate and communities, airports, villas, railway stations and commercial establishments, etc.

#### **FUNCTIONAL ADVANTAGE**

- Miniature car chassis with great stability and safety
- Front:Double wishbone independent suspension + suspension spring
- Rear:Integral rear axle, single leaf spring + cylinder hydraulic shock absorber
- Slope assist anti-slip function, more stable driving
- Intelligent charger, automatic power off, overload protection













EASY TO USE

#### CUSTOMIZATION

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.



#### 4 Seaters ferry car

Dimension: 3100\*1350\*2100mm Motor Power: AC motor,48V5kW Max. Speed:25km/h

Model: NL-P2020B+2 Max. Mileage:60-80km



#### 6 Seaters ferry car

Model: NL-P2040B+2 Dimension: 3680\*1350\*2100mm Motor Power: AC motor,48V5kW Max. Speed:25km/h Max. Mileage:60-80km



### BUILT FOR WORK

Application: golf courses, hotels and resorts, schools, real estate and communities, airports, villas, railway stations and commercial establishments, etc.

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.















#### **FUNCTIONAL ADVANTAGE**

- Miniature car chassis with great stability and safety
- Front:Double wishbone independent suspension + suspension spring
- Rear:Integral rear axle, single leaf spring + cylinder hydraulic shock absorber
- Slope assist anti-slip function, more stable driving
- Intelligent charger, automatic power off, overload protection

 $_{2}$ 



#### **FUNCTIONAL ADVANTAGE**

- Waterproof grade of whole vehicle harness Ip67
- Front:Macpherson independent suspension;Rear:Leaf spring and hydraulic shock absorber
- Bi-directional output rack-and-pinion steering gear, self-adjusting
- Four wheels drum brake+Electric parking
- Body PP moulding, Foldable acrylic windshield
- Cargo bucket, reversing buzzer, left and right reflectors, interior rearview mirror, horn
- Electric cargo bucket lifting cylinder, self-unloading (Option)

Model: NL-UA8

Dimension: 3050×1220×1900mm Motor Power: AC motor,48V4kW

Speed: 25km/h

Driving Mileage: 90km (Flat/No load)



O DRIVE FARTHER



STRONG POWERFUL



ENERGY SAVING



STEEP SLOPS CLIMBING

#### **CUSTOMIZATION**

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.





GRASS GREEN



DARK GREEN



NAVY BLUE



PURPLE



FUCHSIA



### BUILT FOR WORK

### **Smart and Practical**

2 Riding on an electric working vehicle, the chassis is high, the power is strong, and the road section performance is good.

The 1280×1100×300mm large cargo bucket is very suitable for pulling supplies when going out and pulling crops on the farm.

This car has its own electric lifting cylinder, which can realize the function of self-unloading goods.

Great for home and outdoor use.

#### **FUNCTIONAL ADVANTAGE**

- 1280×1100×300mm large cargo bucket
- 48V, Toyota AC controller/Curtis AC controller, strong power
- Lead-acid maintenance-free battery for long-lasting battery life
- Intelligent charger, automatic power off, overload protection
- Front:Macpherson independent suspension;Rear:Leaf spring and hydraulic shock absorber,Smooth and comfortable ride













#### **CUSTOMIZATION**

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.



#### Two-seater electric work vehicle

Model: NL-UC2

Dimension: 3050×1220×1900mm

Size of cargo bucket: 1280×1100×300mm

Motor: AC motor,48V5kW

Battery: Lead acid maintenance free battery

Speed: ≤25km/h

Driving Mileage: 90km (Flat/No load) Allowable members: Two persons



 $^{23}$ 







- High strength carbon steel welded steel frame and sheet metal stamped body
- Enhanced miniature car chassis, special anti-skid floor leather for automobiles
- Over-temperature protection circuit, parking auxiliary anti-slip
- Intelligent on-board charger, automatically stop when fully charged
- Front suspension Macpherson independent suspension, rear suspension is multi-leaf leaf spring, cylinder hydraulic shock absorber
- Front disc and rear drum hydraulic dual-line brake, parking brake is mechanical + vacuum brake booster
- Rack-and-pinion steering system, with the function of automatically adjusting the clearance to make the direction turn lightly + EPS electronic steering assist













#### **CUSTOMIZATION**

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.



#### 8-seater sightseeing bus

Model No.: NL-L108D Dimension: 3860\*1510\*2050mm Motor Power:AC motor,48V5kW Max. Speed:25km/h Max. Mileage:80-100km



#### 11-seater sightseeing bus

Model No.: NL-L111D-1 Dimension: 4180\*1510\*2050mm Motor Power:AC motor,48V5kW Max. Speed:25km/h Max. Mileage:80-100km



#### 11-seater sightseeing bus

Model No.: NL-L111D Dimension: 4680\*1510\*2050mm Motor Power: AC motor, 72 V 7.5 kW Max. Speed:25km/h Max. Mileage:80-100km



#### 14-seater sightseeing bus

Model No.: NL-U1014 Dimension: 5130\*1510\*2050mm Motor Power:AC motor,72V7.5kW Max. Speed:25km/h Max. Mileage:80-100km



#### 17-seater sightseeing bus

Model No.: NL-L117D Dimension: 6010\*1510\*2080mm Motor Power:AC motor,72V8.5kW Max. Speed:25km/h



Max. Mileage:80-100km



#### **FUNCTIONAL ADVANTAGE**

- Strong Powerful 96V20KW AC Motor
- Macpherson Independent Suspension





- Built with High Strength Carbon Steel Integral Frame
- Hydraulic Double Pipe Brake with Front & Rear Drum Wheel Brake
- EPS electronic steering assist, lighter rotation





#### CUSTOMIZATION

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.











MILKY

LIGHT IVORY

SCREAMING YELLOW

**GRASS GREEN** 

**BLUE ONYX** 



#### 23 Seater sightseeing bus

Model: NL-U1023

Dimension: 5880\*1810\*2255mm Motor Power: AC motor,96V20kW

Max. Speed:30km/h

Max. Mileage:100-120km



### FOOD SERVICE VEHICLES

Lifted Utility Truck built for the hotels and resorts, schools, real estate and communities, airports, villas, railway stations and commercial establishments, etc.

Choose premium colors, seats, motors, batteries, body advertisements accessories, and wheels to make your golf cart feel totally unique.

#### **FUNCTIONAL ADVANTAGE**

- Lead acid battery and Lithium battery as optional.
- Quick and efficient battery charge maximizes up-time.
- With 48V KDS Motor, stable and powerful when going uphill.
- Generous and comfortable seats making the riding space more spacious.
- Detachable componentized car body, saving maintenance and repair cost.

#### **SPECIFICATION**

Model No.: NL-U8

Vehicle: 3700\*1210\*1950mm

Cargo:1800\*1150\*1200mm

Motor Power:AC motor,48V4kW

Max. Speed:28km/h

Max. Mileage:70-90km